DATE: 16 Oct 00

STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Limiter Assembly
NSN 5840-01-146-3650

SOW-03-844-2-89883B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Limiter Assembly NSN 5840-01-146-3650, part number 77C721740G1 CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON
Weapon Systems Manager
Radar Systems Section (Code 844-2)
MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON Team Leader Inventory Management Specialist (Code 844-2) MARCORSYSCOM, Albany, GA RICHARD E JONES Team Leader Equipment Specialist (Code 844-2) MARCORSYSCOM, Albany, GA STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Limiter Assembly
NSN 5840-01-146-3650

- 1.0 <u>Scope.</u> This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Limiter Assembly NSN 5840-01-146-3650, part number 77C721740G1, CAGE 03538. This document contains requirements to restore the Limiter Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.
- 2.1 <u>Military Standards</u>

MIL-STD-2073-lD DoD Standard Practice for Military Packaging MIL-STD-129 DoD Standard Practice for Military Marking

2.2 <u>Other Government Documents and Publications</u>. The latest issues of those documents cited below shall be used.

77C721740 Drawing Assembly, Limiter Assembly 77C721740G1 Parts List, Limiter Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Quality Systems Model for Quality Assurance in Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration
Management

Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn: (Code 851-3), 814 Radford Blvd Suite 20320, Albany, GA. 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 The Contractor shall repair the Limiter Assembly strictly in accordance with the requirements as specified in 77C721740 and 77C721740G1, CAGE 03538. The Contractor shall be responsible for developing Test Requirements for the Limiter Assembly. The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T)
- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Items being prepared for long-term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for immediate use and domestic (CONUS) delivery shall be in accordance with level "B" requirements. Level "A" preservation and packaging shall normally be required, due to the anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use within CONUS) will be identified, in writing, by the Weapon System Manager (WSM) Code 844-2.
- 3.2.2 Marking shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping and the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to

an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- Reports. The Contractor shall develop a Test Data Report (TDR), based on test requirements to be developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Limiter Assembly. Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (229) 639-5498 or DSN 567-5498, Attn: Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(I Data Item)

Form Approved OMB No. 1704-0188

17 PRICE GROUP

18 ESTIMATED TOTAL PRICE

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this hurden estimate or any other aspect of this collection of information. including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. Issted in block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT.

C. CATEGORY:

A. CONTRACT	LINE HEW NO.	B. EARIE	111	TDF		TM	Other X	XX		
D. SYSTEM/ITI	EM	<u> </u>	E. CONTRACT/P			RACTOR	Juici A	1/1		
AN/TPS-59	9(V)3 Limited As	sembly]							
1. DATA ITEM No.	2. TITLE OF DATA ITEM		O1 P	1	3. SUBTITL					
A001	Engineering Change Proposal					Configuration Management				
4. AUTHORITY (Dat	nta Acquisition Document No	.J	5. CONTRACT REFER	ENCE		6. REQUIRING OFFICE				
DI-	-CMAN-80639C		SOW 3.3			MARCORLOGBASES (851)				
7. DD 250 REQ.	9. DIST STATEMENT	10 FREQUENCY		12. DATE OF FIRST SUBMISSION		DISTRIBUTION				
LT	REQUIRED	1	ASREQ	See Bl				b. COPIES		
8. APP CODE	APP CODE A		ATE	13. DATE OF SUBSEQUENT SUBMISSION		a ADDRESSEE	Draft	Reg	AL. Repro	
16. REMARKS						MCLBA (851-2)	0	1	0	
Block 4: Cont	tractor format is a	authorized	Í.				Ţ		}	
	12 - ECPs shall b									
permanently affect the baseline of a configuration item. MIL-STD-973, Appendix D applies.										
							1			
	reviewed and dis	position o	letermined with	in 30 calendar	days upor	1	İ			
eccipt by the	government.									
ECP shall be	transmitted via e-	-mail to th	ne following add	łress:			1			
	onfigmngmnt@m			H030.			 			
								 	<u> </u>	
Distribution S	Statement A: App	roved for	public release,	distribution is	unlimited			 		
								Ļ		
									<u> </u>	
							+	-	ļ	
							-	ļ		
							 	 		
						-				
							 			
							1			
							1	-		
							+			
							+	+	 	
							1			
								 		
						15. TOTAL	0	1	0	
G. PREPARED	BY	1	H. DATE	I. APPROVED	BY:	1 11	J. DAT	E		
X Am	ANTA 6	lesau	28Sept OC)	1	06	12	17:1	مرزر	
DD EODM 14	23-1, AUG 96 (EG)			EDITION MAY BE U	SED 2		Pa	age 1 of	1 Par	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway. Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT

C. CATEGORY:

TOP TM Other XXX				
ADDRESSE				
Request for Deviation (RFD) Configuration Management AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640C DI-CMAN-80640C SOW 3.3 MARCORLOGBASES (851) MARCORLOGBASES (851) MARCORLOGBASES (851) MARCORLOGBASES (851) MARCORLOGBASES (851) Soe Bik 16 Soe Bik 16 A DISTRIBUTION AS REQ II. AS OF DATE Block 4: Contractor format is authorized. Block 4: Contractor format is authorized. Block 4: Contractor format which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
A UTHORITY (Data Acquisition Document No.) DI-CMAN-80640C SOW 3.3 MARCORLOGBASES (851) DISTRIBUTION AS REQ II AS OF DATE II AS OF DATE III AS OF DATE III AS OF DATE MARCORLOGBASES (851) MARCORLOGBASES (851) DISTRIBUTION MARCORLOGBASES (851) MARCORLOGBASES (851) DISTRIBUTION MARCORLOGBASES (851) DISTRIBUTION DISTRIBUTION MARCORLOGBASES (851) DISTRIBUTION				
DI-CMAN-80640C 7. DD 250 REQ	Configuration Management			
7. DD 250 REQ LT REQUIRED AS REQ See Blk 16 8. APP CODE A 11 AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION AS REQ 15. Draft Reg 15. Draft Reg 16. REMARKS Block 4: Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
7. DD 250 REQ LT REQUIRED AS REQ See Blk 16 8. APP CODE A 11 AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION AS REQ 15. Draft Reg 15. Draft Reg 16. REMARKS Block 4: Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
Block 4: Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	I			
Block 4: Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	FINAL			
Block 4: Contractor format is authorized. Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
Blocks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	0			
nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
RFDs shall be transmitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil				
mbmatcomconfigmngmnt@matcom.usmc.mil				
Distribution Statement A: Approved for public release, distribution is unlimited.				
	<u> </u>			
15. TOTAL 0 1	0			
G PREPARED BY	· /:			
DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED Page 1 of	1 Pag			

17 PRICE GROUP

18 ESTIMATED TOTAL PRICE

Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug 96